



# ENDING PREGNANCY WITH PILLS





For pregnancies up to 9 weeks



# AM I PREGNANT?




I DON'T WANT TO BE PREGNANT!



# CAN I TAKE PILLS TO END PREGNANCY?



## WHAT ARE THE PILLS?



**MIFEPRISTONE AND MISOPROSTOL:**  
DETAILS TO BE COMPLETED LOCALLY

# WHAT SHOULD I DO BEFORE TAKING THE PILLS?


1




**BEFORE TAKING THIS  
MEDICATION,  
SEE A HEALTHCARE  
PROVIDER IF YOU ...**

- have a bleeding disorder
- have severe anemia
- have chronic adrenal failure
- are taking long-term steroids
- are allergic to the medications
- have a serious illness
- have an IUD - needs to be removed
- are more than 9 weeks pregnant
- have severe lower abdominal pain

2




3



# HOW DO I TAKE THE PILLS?

## Mifepristone





Swallow 1 pill with water  
(1 pill = 200 milligrams)




Wait 1-2 days

## Misoprostol




Insert 4 pills into the vagina as high as the  
fingers can comfortably reach.  
(1 pill = 200 micrograms, 800 micrograms total)  
Lie down for 30 minutes while 4 pills stay inside

# WHAT WILL HAPPEN?



**BLEEDING AND CRAMPING**



**FEELING BETTER**



# WHAT ARE THE POSSIBLE SIDE EFFECTS?


VOMITING / NAUSEA



HEADACHES



FEVER / CHILLS




DIARRHEA




## GO TO THE HEALTH CLINIC IF YOU HAVE...




**HEAVY BLEEDING FOR MORE THAN 2 HOURS IN A ROW**  
Immediately go to the health clinic



GO TO THE HEALTH CLINIC IF YOU HAVE...




**SEVERE PAIN/SICKNESS FOR MORE THAN A DAY**  
**Immediately go to the health clinic**




# GO TO THE HEALTH CLINIC IF SEVERE SIDE EFFECTS LAST MORE THAN A DAY



## FEVER / CHILLS




## DIARRHEA




# GO TO THE HEALTH CLINIC IF SEVERE SIDE EFFECTS LAST MORE THAN A DAY




## VOMITING / NAUSEA



## HEADACHES





## WILL I BE SUCCESSFUL IN ENDING MY PREGNANCY?



**MOST WOMEN USING THESE PILLS TO END THE PREGNANCY HAVE A SUCCESSFUL ABORTION WITH NO PROBLEMS.**

**Only 2 out of 100 women will need further care to end the pregnancy.**

# WHAT CAN I DO TO AVOID FUTURE PREGNANCY?





**RETURN FOR YOUR FOLLOW-UP VISIT ON:**

\_\_\_\_ / \_\_\_\_ / \_\_\_\_



**QUESTIONS? CALL:**

\_\_\_\_\_



**IN CASE OF EMERGENCY, GO TO THE NEAREST HOSPITAL**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_